


Safety Evaluation Report for an Early Site Permit (ESP) at the North Anna ESP Site









U.S. Nuclear Regulatory Commission Office of Nuclear Reactor Regulation Washington, DC 20555-0001

September 2005



AVAILABILITY OF REFERENCE MATERIALS IN NRC PUBLICATIONS

NRC Reference Material

As of November 1999, you may electronically access NUREG-series publications and other NRC records at NRC's Public Electronic Reading Room at http://www.nrc.gov/reading-rm.html. Publicly released records include, to name a few, NUREG-series publications; Federal Register notices; applicant, licensee, and vendor documents and correspondence; NRC correspondence and internal memoranda; bulletins and information notices; inspection and investigative reports; licensee event reports; and Commission papers and their attachments.

NRC publications in the NUREG series, NRC regulations, and *Title 10, Energy*, in the Code of *Federal Regulations* may also be purchased from one of these two sources.

- The Superintendent of Documents U.S. Government Printing Office Mail Stop SSOP Washington, DC 20402–0001 Internet: bookstore.gpo.gov Telephone: 202-512-1800 Fax: 202-512-2250
- The National Technical Information Service Springfield, VA 22161–0002 www.ntis.gov 1–800–553–6847 or, locally, 703–605–6000

A single copy of each NRC draft report for comment is available free, to the extent of supply, upon written request as follows:

Address: Office of the Chief Information Officer,

Reproduction and Distribution

Services Section

U.S. Nuclear Regulatory Commission Washington, DC 20555-0001

E-mail: DISTRIBUTION@nrc.gov

Facsimile: 301-415-2289

Some publications in the NUREG series that are posted at NRC's Web site address http://www.nrc.qov/reading-rm/doc-collections/nuregs are updated periodically and may differ from the last printed version. Although references to material found on a Web site bear the date the material was accessed, the material available on the date cited may subsequently be removed from the site.

Non-NRC Reference Material

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions, Federal Register notices, Federal and State legislation, and congressional reports. Such documents as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings may be purchased from their sponsoring organization.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at—

The NRC Technical Library Two White Flint North 11545 Rockville Pike Rockville, MD 20852–2738

These standards are available in the library for reference use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from—

American National Standards Institute 11 West 42rd Street New York, NY 10036–8002 www.ansi.org 212–642–4900

Legally binding regulatory requirements are stated only in laws; NRC regulations; licenses, including technical specifications; or orders, not in NUREG-series publications. The views expressed in contractor-prepared publications in this series are not necessarily those of the NRC.

The NUREG series comprises (1) technical and administrative reports and books prepared by the staff (NUREG-XXXX) or agency contractors (NUREG/CR-XXXX), (2) proceedings of conferences (NUREG/CP-XXXX), (3) reports resulting from international agreements (NUREG/IA-XXXX), (4) brochures (NUREG/BR-XXXX), and (5) compilations of legal decisions and orders of the Commission and Atomic and Safety Licensing Boards and of Directors' decisions under Section 2.206 of NRC's regulations (NUREG-0750).

Safety Evaluation Report for an Early Site Permit (ESP) at the North Anna ESP Site

Manuscript Completed: September 2005

Date Published: September 2005

Division of Regulatory Improvement Programs Office of Nuclear Reactor Regulation U.S. Nuclear Regulatory Commission Washington, DC 20555-0001



ABSTRACT

This safety evaluation report (SER) documents the U.S. Nuclear Regulatory Commission (NRC) staff's technical review of the site safety analysis report and emergency planning information included in the early site permit (ESP) application submitted by Dominion Nuclear North Anna, LLC (Dominion or the applicant), for the North Anna ESP site. By letter dated September 25, 2003, Dominion submitted the ESP application for the North Anna ESP site in accordance with Subpart A, "Early Site Permits," of Title 10, Part 52, "Early Site Permits; Standard Design Certifications; and Combined Licenses for Nuclear Power Plants," of the *Code of Federal Regulations*. The North Anna ESP site is located approximately 40 miles north-northwest of Richmond, Virginia, and is adjacent to two existing nuclear power reactors operated by Virginia Electric and Power Company, which, like Dominion Nuclear North Anna, LLC, is a subsidiary of Dominion Resources, Inc. In its application, Dominion seeks an ESP that could support a future application to construct and operate one or more additional nuclear power reactors at the ESP site, with a total nuclear generating capacity of up to 8600 megawatts (thermal).

This SER presents the results of the staff's review of information submitted in conjunction with the ESP application. The staff has identified, in Appendix A to this SER, certain site-related items that will need to be addressed at the combined license or construction permit stage, should an applicant desire to construct one or more new nuclear reactors on the North Anna ESP site. The staff determined that these items do not affect the staff's regulatory findings at the ESP stage and are, for reasons specified in Section 1.7, more appropriately addressed at later stages in the licensing process. In addition, Appendix A to this SER also identifies the proposed permit conditions that the staff recommends the Commission impose, should an ESP be issued to the applicant.

TABLE OF CONTENTS

ABSTI	RACT	ii
CONT	ENTS	. v
EXEC	UTIVE SUMMARY	Kii
ABBR	EVIATIONS	χv
1. INT	FRODUCTION AND GENERAL DESCRIPTION	-1
	1.1 Introduction11.2 General Site Description11.3 Plant Parameter Envelope11.4 Identification of Agents and Contractors11.5 Summary of Principal Review Matters11.6 Summary of Open and Confirmatory Items11.7 Summary of Combined License Action Items11.8 Summary of Permit Conditions1	-3 -5 -7 -8 -8
2. SIT	TE CHARACTERISTICS 2	-1
	2.1 Introduction	-1
	2.1.1 Site Location and Description	-4 -8
	2.2.1–2.2.2 Identification of Potential Hazards in Site Vicinity	3
	2.3 Meteorology2-12.3.1 Regional Climatology2-22.3.2 Local Meteorology2-32.3.3 Onsite Meteorological Measurements Program2-42.3.4 Short-Term (Accident) Diffusion Estimates2-42.3.5 Long-Term (Routine) Diffusion Estimates2-5	0 6 2 6
	2.4 Hydrology	8
	2.4.1 Hydrologic Description2-52.4.2 Floods2-62.4.3 PMF on Streams and Rivers2-72.4.4 Potential Dam Failures2-8	7 3

2.4.5 [Probable Maximum Surge and Seiche Flooding	. 2-89
	Probable Maximum Tsunami Flooding	
2.4.7 1	Ice Effects	. 2-99
2.4.8 (Cooling Water Canals and Reservoirs	2-108
2.4.9 (Channel Diversions	2-111
2.4.10	Flooding Protection Requirements	2-114
2.4.11	Low-Water Considerations	2-116
	Ground Water	2-123
2.4.13	Accidental Releases of Liquid Effluents to Ground and Surface	
	Waters	2-128
2.4.14	Site Characteristics Related to Hydrology	2-137
2.5 Geology,	Seismology, and Geotechnical Engineering	2-140
2.5.1	Basic Geologic and Seismic Information	2-140
	Vibratory Ground Motion	
2.5.3 \$	Surface Faulting	2-202
	Stability of Subsurface Materials and Foundations	
	Stability of Slopes	
2.5.6 F	Embankments and Dams	2-250
3. DESIGN		3-1
2516	Aircraft Hazards	2.1
3.3.1.0	Allorant Flazards	3-1
11. BADIOLOGICAL	EFFLUENT RELEASE DOSE CONSEQUENCES FROM NORMAL	
0. 2		
11.1 Source To	erms	. 11-1
	Technical Information in the Application	
	Regulatory Evaluation	
	Technical Evaluation	
11.1.4	Conclusions	. 11-3
13 CONDUCTOFO	PERATIONS	13-1
10. 00110001 01 0		
13.3 Emergen	ncy Planning	. 13-1
13.3.1	Significant Impediments to the Development of Emergency Plans	. 13-2
	Contacts and Arrangements with Local, State, and Federal Agencie	
	Major Features of the Emergency Plans	
13.6 Industrial Securi	ty	13-59
	Technical Information in the Application	
	Regulatory Evaluation	
13.6.3	Technical Evaluation	-
1261	Conclusions	12-62

15.	ACCIDENT ANALYSES	5-1
	15.1 Technical Information in the Application	5-3
	15.3.1 Selection of DBAs	5-5 5-5
	15.4 Conclusions 1	5-8
17.	EARLY SITE PERMIT QUALITY ASSURANCE MEASURES	7-1
	17.0 Introduction 1 17.1 Organization 1	
	17.1.1 Technical Information in the Application117.1.2 Regulatory Evaluation117.1.3 Technical Evaluation117.1.4 Conclusion1	7-2 7-3
-	17.2 Quality Assurance Program	7-4
·	17.2.1 Technical Information in the Application117.2.2 Regulatory Evaluation117.2.3 Technical Evaluation117.2.4 Conclusion1	7-4 7-5
	17.3 Design Control	7-6
	17.3.1 Technical Information in the Application117.3.2 Regulatory Evaluation117.3.3 Technical Evaluation117.3.4 Conclusion17	7-7 7-7 -10
 !	17.4 Procurement Document Control	-10
	17.4.1 Technical Information in the Application17-17.4.2 Regulatory Evaluation17-17.4.3 Technical Evaluation17-17.4.4 Conclusion17-	-10 -10 -11 -12
	17.5 Instructions, Procedures, and Drawings	·12
	17.5.1 Technical Information in the Application	·12 ·12

17.6	Docume	nt Control	. 17-1
	17.6.1	Technical Information in the Application	17-1
	17.6.2	Regulatory Evaluation	. 17-18
	17.6.3	Technical Evaluation	17-15
		Conclusion	
17.7	Control o	of Purchased Material, Equipment, and Services	. 17-16
	17.7.1	Technical Information in the Application	17-16
		Regulatory Evaluation	
		Technical Evaluation	
		Conclusion	
17.8	Identifica	ation and Control of Materials, Parts, and Components	17-21
		Technical Information in the Application	
		Regulatory Evaluation	
	17.8.3	Technical Evaluation	17-22
	17.8.4	Conclusion	17-22
17.9	Control c	of Special Processes	17-22
	17.9.1	Technical Information in the Application	17-22
		Regulatory Evaluation	
		Technical Evaluation	
		Conclusion	
17 10	Inspecti	ion	17-23
.,	•		
		Technical Information in the Application	
	17.10.2	Regulatory Evaluation	17-24
	17.10.3	B Technical Evaluation	17-24
		Conclusion	
17.11	Test Co	ontrol	17-25
	4-444	To the feet to the constant of the American to the constant of	47.05
	17.11.1	Technical Information in the Application	17-25
		Progulatory Evaluation	
	17.11.3	B Technical Evaluation	17-26
	17.11.4	Conclusion	17-27
17.12	Control	of Measuring and Test Equipment	17-27
	17.12.1	Technical Information in the Application	17-27
		Regulatory Evaluation	
		Technical Evaluation	
		Conclusion	
	17,14.4	· Conduction	11-23
17 12	Handling	n Storage and Shinning	17-29

17.13.1 Technical Information in the Application	17-30
17.13.3 Technical Evaluation	
17.14 Inspection, Test, and Operating Status	17-31
17.14.1 Technical Information in the Application	17-31 17-32
17.14.3 Technical Evaluation	17-33
17.15 Nonconforming Materials, Parts, or Components	17-33
17.15.1 Technical Information in the Application	
17.15.3 Technical Evaluation	17-34
17.16 Corrective Action	17-35
17.16.1 Technical Information in the Application	17-35 17-35
17.16.3 Technical Evaluation	17-36
17.17 Quality Assurance Records	17-37
17.17.1 Technical Information in the Application	17-37 17-38
17.17.4 Conclusion	17-39
17.18.1 Technical Information in the Application	17-39 17-40
17.18.3 Technical Evaluation 17.18.4 Conclusion 17.	17-40
17.19 Conclusions	
18. REVIEW BY THE ADVISORY COMMITTEE ON REACTOR SAFEGUARDS	18-1
19. CONCLUSIONS	19-1

Appendices

A	Bounding Parameters for the Site	A-1
В	Chronology of Early Site Permit Application for the North Anna ESP Site	B-1
С	References	C-1
D	Principal Contributors	D-1
E	Report by the Advisory Committee on Reactor Safeguards	E-1
	Figures	٠
2.4.3-1 2.4.3-2 2.4.3-3 2.4.5-1 2.4.6-1 2.4.6-2 2.4.6-3 2.4.7-1 2.5.1-1 2.5.1-2 2.5.1-3 2.5.1-5 2.5.1-6	Major roads, railways, and gas pipelines in the vicinity of the ESP site Depth-area-duration curves prepared for bracketing North Anna drainage area. Inflow and outflow hydrographs for North Anna reservoir during the PMF event Reservoir elevation during the PMF event Applicant's original (black line) and staff's conservative (red line) unit hydrographs North Anna Power Station site and fetch length Landslide diagram resulting in wave traveling towards the ESP site. Initial conditions for the numerical model. Highest extent of wave runup on shore Accumulated degree-days since December 1, 1976, at the Piedmont Research Station meteorologic station The proposed facility boundary for the ESP site Regional physiographic map (200-mi radius) Simplified tectonostratigraphic map Quaternary features map Seismic source zones and seismicity in central and eastern North America Site topographic map (0.6-mi radius) Map showing general area of coverage of Obermeier and McNulty (1998) liquefact study relative to interpretations of the Central Virginia Seismic Zone. Magnitude-distance deaggregation for low frequencies (1 and 2.5 Hz) at a mean annual frequency of 5x10-5 using updated source and ground motion models	. 2-78 . 2-81 . 2-81 s 2-83 . 2-93 . 2-99 . 2-99 2-105 2-142 2-144 2-144 2-150 2-153 stion 2-160
	Magnitude-distance deaggregation for high frequencies (5 and 10 Hz) at a mean annual frequency of 5x10 ⁻⁵ using updated source and ground motion models Comparison of performance-based spectrum, mean 5x10 ⁻⁵ scaled spectra, and selected SSE spectrum (which overlaps the performance-based spectrum and	2-180
2.5.2-4	envelops the other two) Response Zone III-IV control point (Elevation 250 ft., Layer 1) – 5% Critical Dampi ARS – High Frequency (upper dark gray group) and Low Frequency (lower light gray group) time histories.	ing
2.5.2-5	Transfer Function for ESP Site	2-185
	(SSAR Figure 2.5-48A) Selected Horizontal and Vertical Response Spectra for the Hypothetical Rock Outcrop Control Point SSE at the Top of Zone III-IV Material	•
2.5.2-7	Regional seismicity for ESP site	

2.5.4-1 2.5.4-2 2.5.4-3 2.5.4-4 2.5.4-5	Subsurface Profile A-A'	2-211 2-212 2-218 2-219 2-226
	Tables	
2.3.1-1	Applicant's Proposed Ambient Air Temperature and Humidity Site Characteristics	2-22
	Applicant's Proposed Basic Wind Speed Site Characteristic	
	Applicant's Proposed Tornado Site Characteristics	
	Tropical Cyclones Reported within 100-Nautical Mile Radius of the North Anna ESF Site from 1851 through 2003	•
	Applicant's Proposed Winter Precipitation Site Characteristics	
	Applicant's Proposed Ultimate Heat Sink Meteorological Site Characteristics	
	Staff's Proposed Regional Climatic Site Characteristics	2-34
•	Applicant's Proposed Short-Term (Accident Release) Atmospheric Dispersion Site Characteristics	2-48
2.3.4-2	Staff's Proposed Short-Term (Accident Release) Atmospheric Dispersion Site Characteristics	
235-1	Applicant's Long-Term (Routine Release) Diffusion Estimates	2-53
	Staff's Proposed Long-Term (Routine Release) Atmospheric Dispersion Site	
	Characteristics	2-56
2.4.2-1	Local Intense Precipitation (1-mi ² PMP) at the North Anna ESP Site	2-71
	Probable Maximum Precipitation Values for the North Anna Dam Drainage Area . :	
	PMP Depth-Duration Values for the North Anna Dam Drainage Area	
2.4.3-3	Time Distribution of PMP for the North Anna Dam Drainage	2-79
2.4.3-4	PMF into Lake Anna	2-79
2.4.14-	1 Staff's Proposed Site Characteristics Related to Hydrology	-138
2.5.2-1	Updated Seismic Hazard Results at ESP Site	-177
15.3-1	Staff's Proposed Short-Term (Accident Release) Atmospheric Dispersion Site	4E 7
	Characteristics (Site-Specific x/Q Values	10-7

EXECUTIVE SUMMARY

Title 10, Part 52, "Early Site Permits; Standard Design Certifications; and Combined Licenses for Nuclear Power Plants" of the *Code of Federal Regulations* (10 CFR Part 52) contains requirements for licensing, construction, and operation of new nuclear power plants. These regulations address early site permits (ESPs), design certifications, and combined licenses (COLs). The ESP process (Subpart A, "Early Site Permits," of 10 CFR Part 52) is intended to address and resolve site-related issues. The design certification process (Subpart B, "Standard Design Certifications," of 10 CFR Part 52) provides a means for a vendor to obtain U.S. Nuclear Regulatory Commission (NRC) certification of a particular reactor design. Finally, the COL process (Subpart C, "Combined Licenses," of 10 CFR Part 52) allows an applicant to seek authorization to construct and operate a new nuclear power plant. A COL may reference an ESP, a certified design, both, or neither. It is incumbent on a COL applicant to resolve issues related to licensing that were not resolved as part of an ESP or design certification proceeding before the NRC can issue a COL.

This safety evaluation report (SER) describes the results of a review by NRC staff of an ESP application submitted by Dominion Nuclear North Anna, LLC (Dominion or the applicant), for the North Anna ESP site. The staff's review verified the applicant's compliance with the requirements of Subpart A of 10 CFR Part 52. This SER serves to identify the matters resolved in the safety review and to identify remaining items to be addressed by a future COL applicant.

. . .

The NRC regulations also contain requirements for an applicant to submit an environmental report pursuant to 10 CFR Part 51, "Environmental Protection Regulations for Domestic Licensing and Related Regulatory Activities." The NRC reviews the environmental report as part of the Agency's responsibilities under the National Environmental Policy Act of 1969, as amended. The NRC presents the results of that review in a final environmental impact statement, which is a report separate from this SER.

By letter dated September 25, 2003, Dominion submitted an ESP application (ADAMS Accession No. ML032731517)² for the North Anna ESP site. The North Anna ESP site is located approximately 40 miles north-northwest of Richmond, Virginia, and is adjacent to two existing nuclear power reactors operated by Virginia Electric and Power Company.

In accordance with 10 CFR Part 52, Dominion submitted information in its ESP application that includes (1) a description of the site and nearby areas that could affect or be affected by a nuclear power plant(s) located at the site, (2) a safety assessment of the site on which the

¹Applicants may also choose to seek a construction permit and operating license in accordance with 10 CFR Part 50, "Domestic Licensing of Production and Utilization Facilities," instead of using the 10 CFR Part 52 process.

²ADAMS (Agencywide Documents Access and Management System) is the NRC's information system that provides access to all image and text documents that the NRC has made public since November 1, 1999, as well as bibliographic records (some with abstracts and full text) that the NRC made public before November 1999. Documents available to the public may be accessed via the Internet at http://www.nrc.gov/reading-rm/adams/web-based.html. Documents may also be viewed by visiting the NRC's Public Document Room at One White Flint North, 11555 Rockville Pike, Rockville, Maryland. Telephone assistance for using web-based ADAMS is available at (800) 397-4209 between 8:30 a.m. and 4:15 p.m., eastern standard time, Monday through Friday, except Federal holidays. The staff is also making this SER available on the NRC's new reactor licensing public Web site at http://www.nrc.gov/reactors/new-licensing/esp/north-anna.html.

facility would be located, including an analysis and evaluation of the major structures, systems, and components of the facility that bear significantly on the acceptability of the site, and (3) proposed major features of emergency plans. The application describes how the site complies with the requirements of 10 CFR Part 52 and the siting criteria of 10 CFR Part 100, "Reactor Site Criteria."

This SER presents the conclusions of the staff's review of information the applicant submitted to the NRC in support of the ESP application. The staff has reviewed the information provided by the applicant to resolve the open and confirmatory items identified in the draft safety evaluation report for the North Anna ESP, issued on December 20, 2004. In Section 1.6 of this SER, the staff provides a brief summary of the process used to resolve these items; specific details on the resolution for each open item is presented in the corresponding section of this report.

The staff has identified, in Appendix A to this SER, the proposed permit conditions that it will recommend the Commission impose, should an ESP be issued to the applicant. Appendix A also includes a list of COL action items or certain site-related items that will need to be addressed at the COL or construction permit stage, should an applicant desire to construct one or more new nuclear reactors on the North Anna ESP site. The staff determined that these items do not affect the staff's regulatory findings at the ESP stage and are, for reasons specified in Section 1.7, more appropriately addressed at these later stages in the licensing process. In addition, Appendix A lists the site characteristics and the bounding parameters identified by the staff for this site.

Inspections conducted by the NRC have verified, where appropriate, the conclusions in this SER. The scope of the inspections consisted of selected information in the ESP application and its references. This SER identifies applicable inspection reports as reference documents.

The NRC's Advisory Committee on Reactor Safeguards (ACRS) also reviewed the bases for the conclusions in this report. The ACRS independently reviewed those aspects of the application that concern safety, as well as the safety evaluation report, and provided the results of its review to the Commission in the interim report dated March 11, 2005 and in a final report dated July 18, 2005. This SER incorporates the ACRS comments and recommendations, as appropriate. Appendix E includes a copy of the report by the ACRS on the final safety evaluation, as required by 10 CFR 52.53, "Referral to the ACRS."

³ The applicant has also submitted information intended to partially address some of the general design criteria (GDC) in Appendix A, "General Design Criteria for Nuclear Power Plants," to 10 CFR Part 50, "Domestic Licensing of Production and Utilization Facilities." Only GDC 2, "Design Bases for Protection Against Natural Phenomena," applies to an ESP application, and it does so only to the extent necessary to determine the safe-shutdown earthquake (SSE) and the seismically induced flood. The staff has explicitly addressed partial compliance with GDC 2, in accordance with 10 CFR 52.17(a)(1) and 10 CFR 50.34(a)(12), only in connection with the applicant's analysis of the SSE and the seismically induced flood. Otherwise, an ESP applicant need not demonstrate compliance with the GDC. The staff has included a statement to this effect in those sections of the SER that do not relate to the SSE or the seismically induced flood. Nonetheless, this SER describes the staff's evaluation of information submitted by the applicant to address GDC 2.

ABBREVIATIONS `

ABWR advanced boiling water reactor

ac acre

ACR-700 Atomic Energy of Canada Advanced CANDU Reactor
ADAMS Agencywide Documents Access and Management System

ALARA as low as is reasonably achievable

ALI annual limits on intake
ALWR advanced light-water reactor
ANS alert and notification system

ANSI American National Standards Institute
ANSS Advanced National Seismic System
AP1000 Westinghouse Advanced Plant 1000

ARA Applied Research Associates

ASCE American Society of Civil Engineers

ASHRAE American Society of Heating, Refrigerating and Air-Conditioning Engineers

ASME American Society of Mechanical Engineers
ASTM American Society for Testing and Materials
ASTM American Society for Testing and Materials

BRH Bureau of Radiological Health

BWR boiling water reactor
CDE committed dose equivalent
CEUS central and eastern United States
CFR Code of Federal Regulations

COL combined license

COVRERP Commonwealth of Virginia Radiological Emergency Response Plan

CP construction permit
CPT cone penetrometer test
CVSZ Central Virginia Seismic Zone
DAC derived air concentration
DBA design-basis accident
DCD design control document

DEIS draft environmental impact statement
DEM Department of Emergency Management

DOE Department of Energy
DSER draft safety evaluation report
EAB exclusion area boundary
EAC evacuation assembly center
EAL emergency action level
EAS emergency alert system
ECFS East Coast fault system

EDP engineering department procedure engineering department instructions

EDS engineering design spectrum
EIS environmental impact statement
EMI Emergency Management Institute
ENS emergency notification system
EOC emergency operations center
EOF emergency operations facility

EPA Environmental Protection Agency

EPDS electronic procedure distribution system EPIP emergency plan implementing procedure

EPRI Electric Power Research Institute

EPZ emergency planning zone ER Environmental Report

ERDS Emergency Response Data System ERO emergency response organization

ESBWR General Electric Economic and Simple Boiling Water Reactor

ESE east-southeast

ESIM evacuation simulation model

ESP early site permit
EST earth science team
ETE evacuation time estimate

ETSZ Eastern Tennessee Seismic Zone FAA Federal Aviation Administration

FEMA Federal Emergency Management Agency
FRERP Federal Radiological Emergency Response Plan

FRMAC Federal Radiological Monitoring and Assessment Center

FRP Federal Response Plan

FS factor of safety

FSER final safety evaluation report

ft foot/feet gal gallon

GBU Global Business Unit GDC general design criterion

GIS Geographical Information System
GSA Geological Society of America

GT-MHR General Atomics Gas Turbine Modular Helium Reactor

HEAR hospital emergency and administrative radio

HEC Hydrologic Engineering Center
HMR hydrometeorological report
HPN health physics network

Hz hertz

IEM Innovative Emergency Management, Inc.

In. inch

INPO Institute of Nuclear Power Operations

IRIS International Reactor Innovative and Secure Reactor

ISFSI independent spent fuel storage installation
ISO International Organization for Standardization

KI potassium iodide kPa kiloPascals

lb pound

lbf/ft pound-force per square foot

LFA lead Federal agency

LLNL Lawrence Livermore National Laboratory

LOCA loss-of-coolant accident ·
LPZ low-population zone
LWR light water reactor

M&TE measuring and test equipment

Medical College of Virginia Hospitals MCVH

maximally exposed individual MEI

mi/hr miles per hour

meteorological information and dose assessment system **MIDAS**

MMI modified mercalli intensity

millirem mrem

MSL mean sea level milliSievert mSv

measuring and test equipment MT&E

megawatt thermal MWt

North Anna Emergency Plan NAEP North Anna Power Station **NAPS** NBU Nuclear Business Unit

National Climatic Data Center NCDC Nuclear Design Control Manual NDCM Nuclear Design Control Program NDCP National Geodetic Vertical Datum NGVD

NE

NEI Nuclear Energy Institute

NEP nuclear emergency preparedness

nautical mile nmi

New Madrid Seismic Zone **NMSZ**

north-northeast NNE

National Oceanic and Atmospheric Administration **NOAA**

Nuclear Power Station Emergency Preparedness Training **NPSEPT**

NQAM Nuclear Quality Assurance Manual U.S. Nuclear Regulatory Commission NRC

nuclear-required records list NRRL

National Severe Storms Laboratory NSSL

Nuclear Utility Procurement Issues Committee NUPIC

National Weather Service **NWS** operating-basis earthquake OBE

Old Dominion Electric Cooperative ODEC

OL operating license

Oak Ridge Evaluation Modeling System **OREMS**

operational support center OSC

OW observation well

observation well protective action guideline **PAG**

protective action recommendation PAR

PAZ protective action zone pebble bed modular reactor **PBMR** PGA peak ground acceleration

protective measures counterpart link **PMCL**

probable maximum flood PMF probable maximum hurricane
probable maximum precipitation PMH **PMP**

probable maximum winter precipitation **PMWP** Pacific Northwest National Laboratories PNNL purchase order

PO

plant parameter envelope 🦫 PPE

PPR potential problem reporting

PQAM project quality assurance manager PSHA probabilistic seismic hazard analysis

psi pound per square inch
PWR pressurized-water reactor

QA quality assurance

QAPD quality assurance program description

QAPP quality assurance program plan

RAA remote assembly area

RAI request for additional information radiological assistance program

REI Risk Engineering, Inc.

RERP radiological emergency response plan
RERT Radiological Emergency Response Team

RIC Richmond International Airport

RG regulatory guide

RQD rock quality designation

RS review standard

RSCL reactor safety counterpart link

s second S south

SCC State Corporation Commission SCR stable continental regions SCS Soil Conservation Service

SE southeast

SEI Structural Engineering Institute

SER safety evaluation report

SF scale factor

SPT standard penetration test
SQAP software quality assurance plan

SRCC Southern Regional Climate Center

SSAR site safety analysis report

SSC system, structure, and component

SSE safe-shutdown earthquake

SSHAC Senior Seismic Hazard Advisory Committee

SW southwest

SWR service water reservoir

TEDE total effective dose equivalent TLD thermoluminescent dosimeter TSC technical support center

UFSAR updated final safety analysis report

UHF ultra-high frequency
UHS ultimate heat sink
ULF ultra-low frequency

USACE U.S. Army Corps of Engineers

USBR United States Bureau of Reclamation
USGS United States Geological Survey
VCU Virginia Commonwealth University

VDEM Virginia Department of Emergency Management VDGIF Virginia Department of Game and Inland Fisheries

VDH	Virginia Department of Health
VSP	Virginia State Police
VT	Virginia Polytechnic Institute and State University
WHTF	waste heat treatment facility
ZPA	zero period acceleration